




**SAW Filter 168.5.0MHz**

**Model: TB0260A**

**Part No: MA07378**


**REV. NO.: 4**

**C. OUTLINE DRAWING:**



**D. FREQUENCY CHARACTERISTICS:**

**1. S21 Response**



Horizontal : 10MHz/Div. Vertical: 10dB/Div

**SAW Filter 168.5.0MHz**  
**Part No: MA07378**


**Model: TB0260A**  
**REV. NO.: 4**

### 2. Pass band Ripple and Group Delay Ripple



Horizontal : 4MHz/Div. Vertical: 1dB/Div. Vertical: 100nS/Div

### 3. Wide band Response




Horizontal : 10MHz~500MHz

**SAW Filter 168.5.0MHz**  
**Part No: MA07378**


**Model: TB0260A**  
**REV. NO.: 4**

#### 4. Input VSWR



Horizontal : 148.5MHz~188.5MHz

#### 5. Output VSWR



Horizontal : 148.5MHz~188.5MHz


**SAW Filter 168.5.0MHz**

**Model: TB0260A**


**Part No: MA07378**

**REV. NO.: 4**

**E. TEST FIXTURE:**



**F. PCB FOOTPRINT**



**SAW Filter 168.5.0MHz**


**Model: TB0260A**

**Part No: MA07378**

**REV. NO.: 4**

**G. PACKING:**

**1. REEL DIMENSION**



**2. TAPE DIMENSION**

